

Minimesh 45 x 18 mm M830

The Minimesh label from RICHRFID is a versatile, high-performance tag designed for a wide range of applications. It delivers reliable reading performance across supply chain management, inventory control, logistics, retail and apparel.

The product is complied with EPC global Class 1 Gen2, ISO 9001 quality management and ISO 14001 environmental management standards, ensuring reliable, industry-grade performance for diverse use cases.

Equipped with the Impinj M830 IC. The IC has an improved read/write sensitivity compared to the M700 series, enables faster, more accurate bulk reading performance. The Impinj IC is compatible with the global GS1 UHF Gen2v2 standard ISO / IEC 18000-63.

By enabling Privacy Mode, the label can be used for high-value products, authenticity verification, and applications requiring enhanced privacy protection.

The label size 45 x 18 mm and performance make it especially well-suited for retail application.

Overview


Frequency Band
 UHF 860-960 MHz

Chip Type
 Impinj Monza 830

Dimensions
 45 x 18 mm / 1.77 x 0.71 in

Air Interface Protocol
 ISO/IEC 18000-63 Type C


Application
 Retail & Apparel
 Asset tracking
 Smart packaging
 Authentication




Technical Features

Model	RC5127
RFID Features	
Frequency	860-960 MHz
Application	Non metal
Chip Type	Impinj Monza 830
Memory	User - N/A; EPC - 128 bits; TID - 96 bits
Data Storage	> 10 years
Re-write	100,000 times
Physical Features	
Dimension	45 x 18 mm / 1.77 x 0.709 in
Material	Coated Paper
Adhesive	Hot Melt
Operating Temperature	-40°C to 85°C / -40°F to 185°F
Storage Condition	20±5°C, 50±10% RH, Store away from sunlight
Other Features	
Installation	Adhesive on clean & dry surface
Customization	Printing, Encoding, Designing, etc.
Package	2,500 pcs / roll, 4 rolls / box

Read Range(2W ERP)



Radiation Pattern



PS: The performance is theoretical values in the lab and the actual effect depends on the specific applications.

RICHRFID

Web: <https://www.richrfid.com> E-mail: info@richrfid.com
 Shenzhen | Hong Kong | Singapore | Seoul | Tokyo | Paris



DISCLAIMER

All specifications are indicative and results may vary. Each user bears full responsibility for making its own determination as to the suitability of RICHRFID products, materials, services, recommendations, or advice for its own particular use.

For intended use only. Not to be repurposed or used for other applications without prior written permission from the manufacturer.

@2026 RICHRFID. All rights reserved.